

Author Index to Volume Forty-six

- Adler, Mónica and Susana Calvelo. New reports of Parmeliaceae *s. str.* (Lichenized Ascomycotina) from Southwestern Argentina. 105-127
- Alcorn, J. L. and S. M. Francis. *Alternaria triglochicola* sp. nov. 359-361
- Alfenas, A. C. see Crous, Wingfield and Alfenas
- Allen, John W. see Guzmán, Bandala and Allen
- Arambarri, A. M. see Cazau, Arambarri and Cabello
- Archer, Alan W. Identification of Orcinol Para-Deposides in the lichen genus *Pertusaria* by thin layer chromatography. 1-4
- Bandala, Victor M. see Guzmán, Bandala and Allen
- _____. see Guzmán, Bandala and King
- Barr, D. J. S. see Ho, Barr, Abdullah, Jalaludin and Kudo
- Barr, Margaret E. Redisposition of some taxa described by J. B. Ellis. 45-76
- _____. Some pyrenomyces on three ericaceous hosts in Western North America. 387-402
- _____. see Samuels, Barr and Lowen
- Barrasa, J. M., J. Checa and A. T. Martínez. *Crassoascus*, a new nonstromatic genus in the Clypeosphaeriaceae. 299-305
- Bernicchia, Annarosa. *Hyphoderma etruscae* sp. nov. (Corticaceae, Basidiomycetes) from the natural reserve of Burano, Italy. 37-40
- Bhattacharya, R. see Roy and Bhattacharya
- Bohn, Michael. *Myrothecium groenlandicum* sp. nov., a presumed endophytic fungus of *Betula nana* (Greenland). 335-341
- Braun, U. and V. B. Hosagoudar. *Endoconospora indica* spec. nov. 259-261
- _____. and C. T. Rogerson. Phytoparasitic hyphomycetes from Utah (USA). 263-274
- Brodo, Irwin M. and Pak Yau Wong. Lichenes Canadenses Exsiccati: Fascicle IV. 135-140
- Burguete, A. see Moreno, Illana and Burguete
- Cabello, M. N. see Cazau, Arambarri and Cabello
- Callan, Brenda E. and Jack D. Rogers. A synoptic key to *Xylaria* species from continental United States and Canada based on cultural and anamorphic features. 141-154
- Calvelo, Susana see Adler and Calvelo
- Castilla, A., G. Moreno and C. Illana. A new species of *Comatricha* with incompletely reticulated spores from Spain. 315-319
- Cazau, M. C., A. M. Arambarri and M. N. Cabello. New Hyphomycetes from Santiago River VI (Buenos Aires Province, Argentina). 235-240
- Checa, J. see Barrasa, Checa and Martínez
- Courtecuisse, Régis see Kobayashi and Courtecuisse
- Crous, P. W. and M. J. Wingfield. Additions to *Mycosphaerella* in the fynbos biome. 19-26
- _____. M. J. Wingfield and A. C. Alfenas. Additions to *Calonectria*. 217-234
- Dayal, R. Rajeshwari see Hosagoudar, Dayal and Goos
- Demoulin, V. *Calvatia pachyderma* (Peck) Morg. and *Gastropila fragilis* (Lév.) Homrich et Wright, two possible names for the same fungus. 77-84
- De Vroey, C. see Guarro, Gené and De Vroey
- Dorai, M. see Vital and Dorai
- Elshaffie, A. E. see Gené, ElShafie and Guarro
- Etayo, J. *Lecanora navarrensis*, a new lichen species from North Spain. 453-458
- Francis, S. M. see Alcorn and Francis

- Gams, Walter see Pfenning and Gams
- Gené, J., A. E. ElShafie and J. Guarro. Two new coprophilous Pezizales from the Sultanate of Oman. 275-284
- _____. see Guarro, Gené and De Vroey
- Ginns, J. *Phlebia pallida* in North America. 321-327
- Goos, R. D. see Hosagoudar, Dayal and Goos
- Guarro, J., J. Gené and C. De Vroey. A new species of *Spiromastix* from Africa. 307-313
- _____. see Gené, ElShafie and Guarro
- Guzmán, Gastón, Victor M. Bandala and John W. Allen. A new bluing *Psilocybe* from Thailand. 155-160
- _____, Victor M. Bandala and Chris C. King. Further observations on the genus *Psilocybe* from New Zealand. 161-170
- Hanlin, Richard T. *Cookeina sulcipes* - an addendum. 403-405
- Hestermarm, Geir. *Umbilicaria dendrophora*. 211-215
- Ho, Y. W., D. J. S. Barr, N. Abdullah, S. Jalaludin and H. Kudo. *Neocallimastix variabilis*, a new species of anaerobic fungus from the rumen of cattle. 241-258
- Hosagoudar, V. B., R. Rajeshwari Dayal and R. D. Goos. Meliolaceae of Southern India - XII. 201-210
- _____. see Braun and Hosagoudar
- Illana, C. see Castilla, Moreno and Illana
- _____. see Moreno, Illana and Burguete
- Jalaludin, S. see Ho, Barr, Abdullah, Jalaludin and Kudo
- King, Chris C. see Guzmán, Bandala and King
- Kobayashi, Takahito and Regis Courtécuisse. Two new species of *Inocybe* from Japan. 27-33
- Kohn, L. M. Book reviews. 485-489
- Kudo, H. see Ho, Barr, Abdullah, Jalaludin and Kudo
- Kuo, Ker-chung. A revision of *Bulbouscinula bulbosa*: A new powdery mildew record from Taiwan, and its presumed anamorph. 93-96
- La, Yong-joon see Shin and La
- Lai, Ming-Jou see Mattsson and Lai
- Lowen, Rosalind see Samuels, Barr and Lower.
- Martínez, A. T. see Barrasa, Checa and Martínez
- Mattsson, Jan-Eric and Ming-Jou Lai. *Vulpicida*, a new genus in Parmeliaceae (Lichenized Ascomycetes). 425-428
- McKenzie, E. H. C. New hyphomycete species from litter in the Chatham Islands, New Zealand. 291-297
- Mills, Alan and Angela Monks. Unusual spore print colouration within the family Hygrophoraceae: Two distinctive taxa recorded from Tasmania. 85-91
- Monks, Angela see Mills and Monks
- Moreno, G., C. Illana and A. Burguete. Spanish Myxomycetes. VII. (Province of Castellón). 407-424
- _____. see Castilla, Moreno and Illana
- Mouton, Marnel, Michael J. Wingfield, P. Schalk Van Wyk. Conidium development in the *Knoxdaviesia* of *Ceratocystiopsis proteae*. 363-370
- _____, Michael J. Wingfield, P. Schalk Van Wyk. Conidium development in the synnematous anamorphs of *Ophiostoma*. 371-379

- Norvell, Lorelei see Redhead and Norvell
- Oberwinkler, Franz see Pfenning and Oberwinkler
- Ogawa, Yoshio see Tubaki, Tan and Ogawa
- Pagano, Sabine see Zucconi and Pagano
- Pfenning, Ludwig and Walter Gams. *Mortierella paraensis* n. sp. from Brazilian soil. 287-290
- _____. and Franz Oberwinkler *Ophiostoma braganthinum* n. sp., a possible teleomorph of *Sporothrix inflata* found in Brazil. 381-385
- Rai, M. K. Identity and taxonomy of hitherto unreported pathogen causing leaf spot disease of ginger in India. 329-333
- Redhead, Scott A. and Lorelei L. Norvell. *Mycena gaultheri* rediscovered after 50 years. 97-104
- _____. and _____. *Phaeocollybia* in Western Canada. 343-358
- Rogers, Jack D. see Callan and Rogers
- Rogerson, C. T. see Braun and Rogerson
- Roy, Anjali and R. Bhattacharya. Occurrence of *Gloeophyllum sepiarium* (Wulf.:Fr.) Karst. in India. 5-9
- Samuels, Gary J., Margaret E. Barr and Rosalind Lowen. Revision of *Schizoparme* (Diaporthales, Melanconidaceae). 459-483
- Shin, Hyeon and Yong-joon La. Morphology of edge lines of chained immature conidia on conidiophores in powdery mildew fungi and their taxonomic significance. 445-451
- Simmons, Emory G. *Alternaria* themes and variations (54-62). 171-199
- Takada, Masaki and Shun-ichi Udagawa. *Talaromyces indigoticus*, a new species from soil. 129-134
- Tan, Teck Koon see Tubaki, Tan and Ogawa
- Tubaki, Keisuke, Teck Koon Tan and Yoshio Ogawa. Water-borne hyphomycetes in Singapore, with a description of an undescribed species of *Trichocladium*. 437-444
- Udagawa, Shun-ichi see Takada and Udagawa
- Vanev, Simeon G. *Ramularia biscutellae* sp. nov. 35-36
- _____. *Discosia arxii* sp. nov. 41-43
- Van Wyk, Schalk see Mouton, Wingfield and Van Wyk
- Vittal, B. P. R. and M. Dorai. *Minimidochium indicum*, a nomenclatural correction. 285
- Wingfield, B. D. and M. J. Wingfield. The value of dried fungal cultures for taxonomic comparisons using PCR and PFLP analysis. 429-436
- Wingfield, M. J. see Crous and Wingfield
- _____. see Crous, Wingfield and Alfenas
- _____. see Mouton, Wingfield and Van Wyk
- _____. see Wingfield and Wingfield
- Wong, Pak Yau see Brodo and Wong
- Zucconi, Laura and Sabina Pagano. Concerning the generic limits in *Haplographium*. 11-18

INDEX TO FUNGUS AND LICHEN TAXA, VOLUME FORTY-SIX

This index includes the names of genera, infrageneric taxa, species, and infraspecific taxa. New names are in **boldface**, as are the page numbers on which new taxa are proposed.

-
- Acanthonitschkea*
 foveolata 49
 horrida 49-50
Acanthostigma
 atrobarbum
 var. *pinolium* 63
 berenice 68
 decastylum 46, 48
 filisporum 45, 58, 63
 perpusillum 63
 saccardioides 68
 spinosum 46
Acerbia 48
 bacillata 48
Aeruginospora 85, 90
 singularis 85, 90
Agaricus
 christinae 356
Agrestia 136
 hispida 135-136
Alternaria 171-173, 176, 178,
 180-182, 187, 192, 194,
 196-199, 300, 304, 359, 361
 aliena 171, 178-179, 180, 196
 alternata 172, 181, 189-190, 197
 anagallidis 176
 aragakii 171, 181-184, 186, 196
 cheiranthi 194
 chrysanthemi 361
 dennisii 361
 dianthicola 180
 dichondrae 176, 198
 euphorbiicola 180
 hawaiiensis 171, 184-186, 196
 infectoria 197
 latifunda 171, 194-196
 leucanthemi 361
 molesta 194
 mouchaccae 194
 multirostrata 176, 198
 obclavoidea 171, 192-194, 196
 passiflorae 171-178, 180-181, 184,
 186-187, 192, 196-199
 sonchi 180
 tenuis 172, 181, 189
 tenuissima 171, 189-191, 196
 tomato 172, 180-182, 184, 198-199
 triglochinicola 359-361
 triticina 194
 tropica 171, 187-189, 196
Amazonia 201, 210
 syzygii 201-202
Amphisphaerella 300, 390, 392
Amphisphaeria 55, 76
 andropogonis 54
 atroograna 72
 confertissima 68, 72
 cupula 55
 deformata 68, 72
 eckfeldtii 67
 multipunctata 54
 pardalina 54
 pilosella 68, 72
Angulospora
 aquatica 438, 440, 443
Anisomeridium
 biforme 458
Anthasthoopa 483
Anthopsis
 microspora 442
Anthostoma
 sustentum 392
Anthostomella 392, 402
 exutans 392
 tomicoides 392
 unguiculata 391-392
Anthracotheceum 401
Antrodia
 macrospora 37
Anzia 126
Arcyria 408
 abietina 408
 carnea 408
 cinerea 408
 denudata 408
 guelmae 408
 leiocarpa 408-410, 422
 minuta 408
 obvelata 411
 pomiformis 411
 stipata 408
Arthonia 65

- [Arthonia] byssacea 136
 xylogena 65, 68
 Arthrocladiella 445-446, 448-449
 mougeotii 447, 449
 Ascowtaiwania 300, 304-305
 lignicola 304
 Aspicilia 136, 140
 Asterella
 subcyanea 73
 Asteridiella 201
 sapotacearum 201-203
 Asterina
 subcyanea 73
- Bacidia
 fuscrobella 136
 polychroa 136
 Badhamia
 dictyospora 414
 foliicola 411
 gracilis 411
 macrocarpa 411
 obovata 413
 panicea 411
 rubiginosa 413
 var. dictyospora 414
 Belemnospora 297
 Beltrania
 rhombica 438, 440, 443
 Biscogniauxia 152, 394
 exutans 387, 392, 394
 nummularia 394
 Blastobotrys 378, 384
 Blumeria 445-446, 448-449
 graminis 447, 449-450
 Botryosphaeria 395
 Bulbouncinula 93, 96
 bulbosa 93-96
 Byssosphaeria
 barbicincta 47
 luteobasis 53
- Caecomycetes
 equi 257
 Cainia 55, 75
 cupula 55
 Calcarisporiella 378, 384
 Calcarisporium 378, 384
 Calonectria 217-218, 224, 232-234
 aviculata 234
 colhounii 218, 220, 232-233
 var. colhounii 218, 220, 222-223
 var. macroconidialis 220, 222
 daldiniana 233
 floridana 234
 gracilis 224
 ilicicola 233
 kyotensis 234
 pteridis 227-228, 230
 pyrochroa 217, 233
 theae 233
 uniseptata 234
 Calostilbe 76
 Calvatia 80-84
 booniana 77-79, 81
 craniiformis 82
 fragilis 80
 pachyderma 77-84
 Camarophyllus
 rodwayi 86
 Camarops 54
 microspora 53
 Campylospora
 parvula 438, 440, 443
 Capnodium
 walteri 394
 Capronia
 minima 394
 nigerrima 394
 Catenularia 75
 Catillaria 455
 Catinaria 455
 pulverea 455-456, 458
 Ceramothyrium 68, 75
 carniolicum 68
 linnaeae 68
 martinii 67-68, 70
 Ceratiomyxa
 fruticulosa 411
 Ceratocystis 363-364, 366, 369-371,
 378, 381, 384-385
 adiposa 429, 431-432, 434
 fimbriata 434
 moniliformis 434
 piceae 378
 ulmi 370, 378
 Ceratocystopsis 363-364, 366,
 370, 378, 385
 proteae 363-364, 366, 369-370
 Ceratostoma
 albocoronatum 60
 cirrhosa 60
 conicum 60
 Ceratostomella 53, 60, 74
 conica 58, 60
 longispora 48

- Cercophora* 46, 75
 solaris 46
 spinosa 45, 50
Cercospora 274
 coalescens 264
 geranii 267
 ithacensis 273
 omphacodes 267
 phlogina 267
Cercosporiella
 geranii 273
Cercosporidium 264
Cetraria 127, 425-426, 428
 subg. *Platysma* 427
 sect. *Flavidae* 427
 subsect. *Cucullatae* 427
 [*indef. rank*] *Sulphureae* 427
 alvarensis 428
 canadensis
 var. *viridis* 427
 chlorophylla 106-108
 ciliaris 425
 islandica 425
 juniperina
 var. *canadensis* 427
 var. *tubulosa* 427
 tilesii 428
 tubulosa 428
 viridis 428
Cetrariastrum 109, 125
 americanum 105, 108-109
 cirrhatum 109
 vexans 109
Chaetomastia 401
 hirtula 397
 littoralis 387, 397-398
 sambuci 397
 scelesta 68, 71
Chaetopilea 400
 crossata 400
 pusilla 400
Chaetosphaeria 48, 75
 atriella 46-47, 50
 barbicincta 47
 callimorpha 47
 pulviscula 47
Chaetothyria 73
 applanata 68, 73
 asterinoides 73-74
Chaetothyrium
 berenice 68
Chalara 293, 297, 363
 alabamensis 292
 australis 291-293
 distans 291-292, 293
 hughesii 292
Charonectria 482
Chondrostereum 324
Cilioplea
 amplispora 400
Circinotrichum 294
 britannicum 294
 chathamensis 291, 293-295
 cochinense 294
 flagelliforme 294
 ponmundiense 294
Cladia 140
Cladina 140
Cladonia 140
 bacillaris 136, 140
 cariosa 136
 dahliana 136
 macilenta 135-136, 140
 phyllophora 136
 pleurota 136
 squamosa 136
 symphyarpa 135-136
 turgida 136
 verruculosa 135-136
Cladosporium 12
Clypeosphaeria 304, 401
 americana 304
 mamillana 304, 390
 ulmicola 57
Codinaea 47
Coelosphaeria
 fusariospora 62, 64
Coleroa
 pusiola 72
Collaria
 lurida 411
Colletotrichum 25
 gloeosporioides 21
Comatricha 315, 318-319
 anomala 318, 407
 cylindrica 318
 lurida 411-412
 meandrispora 315-318
 nigra 412
 orthotricha 318
 pulchella 407, 412
 reticulata 318
 reticulospora 318
 rispaudii 318
 subalpina 318
 tenerrima 412-413
Concamerella 125
Condylospora 444

- [Condylospora] spumigena 438, 440, 443
 Coniella 459-460, 464, 474-476,
 478, 481, 483
 castaneicola 459-460, 463, 472
 fragariae 478
 granati 459-460, 463, 480
 Coniochaeta 49
 subg. Helminthosphaeria 50
 arctespora 49-50
 lignaria 50
 pulveracea 49
 saccardoi 50
 velutina 49
 xylariaespora 49
 Cookeina 403-404
 sulcipes 403-404
 tricholoma 403
 Copelandia 156
 Coprotus 275, 284
 dhofarensis 275-276, 278-279
 marginatus 280
 trichosurus 284
 Cornicularia 428
 Crassoascus 299-300, 303-304
 fusisporus 299-301, 302-303
 Craterium
 globosum 413
 leucocephalum 413
 minutum 413
 muscorum 413
 obovatum 407, 413-414
 var. dictyosporum 407, 413-414
 var. globosum 413
 var. obovatum 413-414
 Cresporhaphis
 rhoina 58, 64
 wienkampii 64
 Cribraria
 cancellata
 var. fusca 414
 confusa 415, 423
 microcarpa 414
 minutissima 407, 414-415, 423
 violacea 416
 Cryptococcus 435
 Cryptonectriella 482
 Cryptophiale 296-297
 insularis 291, 294-296
 minor 296
 secunda 296
 Cryptophialoidea 296-297
 Cryptosporiopsis 368, 370
 Culicidospora 438, 440, 443
 aquatica 438, 440
 Cyclodomella 483
 Cyindrocarpon 223, 233
 Cyindrocladiella 233
 Cyindrocladium 217-218, 223,
 227, 233-234
 clavatum 224
 colhounii 218, 220
 var. colgounii 218, 220, 222
 var. macroconidialis 220, 222
 gracile 218, 223-224, 232
 macrosporum 227, 232-234
 pteridis 218, 227-228, 230, 233-234
 scoparium 217, 233-234
 Cyndrosporium
 geranii 267
 Cystotheca 445-446, 448
 lanestris 447, 450
 Daruvedia
 bacillata 48
 Decaisnella
 pachyspora 398, 401
 Diachnea
 leucopodia 416
 Diaplella 400
 Diaporthe 388-389, 402
 eres 388
 linearis 389
 pardalota 388
 vaccinii 389
 Diatrype
 exutans 392
 microspora 53
 var. exutans 53
 prominens 390
 Dictydiaethalium
 plumbeum 416
 Dictyothyrium
 subcyaneum 73
 Diderma 416, 423
 cingulatum 407, 416-417
 globosum 416, 423
 rimosa 416
 spumarioides 416-417, 423
 umbilicatum 417
 var. macrospora 407, 417, 422
 var. umbilicatum 417
 Didymaria
 wyethiae 273
 Didymella 71
 anomala 71
 corylina 54
 Didymium

- [*Didymium*] *bahiense* 417
difforme 418
eximium 418
marineri 418
melanospermum 418
minus 418
squamulosum 418
vaccinum 418
Didymolepta 71
anomala 70
Didymosphaeria 74
anomala 70
catalina 62
cupula 55
futilis 401
major 54
oblitescens 401
sphaerophora 58
Dimerosporium
populi 65
xylogenum 65
Diplocradiella 442
appendiculata 237, 240
heterospora 237
scalaroides 237
taurina 235, 237-238
tricladioides 237-238, 442
Discochora 70
Discosia 41, 43
sect. Strobilina 41, 43
artocreas 42
arxil 41-43
elliptica 43
ocellata 43
pleurochaeta 43
smilacina 43
strobilina 43
Discostroma 55
corticola 54, 56
cupulum 55, 58
fuscella 54
massarina 55-56
muricatum 56
rubicola 56, 58
tostum 55
Ditopelopsis
clethrae 389
linearis 387, 389, 392
racemula 389
Dothidea
rugodisca 388
Dwayaangam 236
cornuta 236
dichotoma 236
gamundiae 235-236, 238
quadridens 236
yakuensis 236
Elsinoe
ledi 394
mattirolianum 394
Embellisia 361
Endoconospora 261
cerastii 261
indica 259-261
Endotryblidium
insculptum 394
Endoxyla 53, 60
luteobasis 53, 58
operculata 53
Endoxylina
allantospora 54, 76
astroidea 54
Enteridium
lycoperdon 419
Erysiphe 445-446, 448-449
arabidis 447
artemisiae 447, 449
cichoracearum 445, 447, 449, 451
galeopsidis 447, 450
rubiae 447
sordida 447
Eupenicillium 134
Europhium 369
Eutypa
luteobasis 53
Evernia
americana 108
Everniastrum 109, 126-127
Exarmidium 62, 75
diaphanum 62
fusariispora 63
morthieri 62
Fenestella
amorpha 58
ulmicola 58
Flavoparmelia 111, 126
baltimorensis 112
ferax 105, 110-111
haysomii 111-112
Fomes
durissimus 9
Fuligo
septica 419
Fusarium 368-369

- [Fusarium] sect. *Liseola* 370
crookwellense 370
culmorum 370
oxysporum 435
sacchari
 f. sp. *subglutinans* 370
- Gaertneriomyces* 257
- Gastropila* 78, 80-83
fragilis 77-80, 84
- Geniculosporium* 141-142
- Gibbera*
atrograna 72
confertissima 72
pilosella 72
- Gloeophyllum*
sepiarium 5-6, 8
- Gloeosporium*
castaneicola 472
- Gloniopsis*
praelonga 395
- Glyphium*
elatum 401
- Gonohymenia* 137, 139
nigritella 137
- Gnomonia* 74, 401
- Gnomoniella* 459, 463, 482
destruens 459, 462-463, 471
- Graphilbum* 378
- Graphiocladiella* 378
- Graphium* 363, 371, 377-379
penicillioides 371, 378
piceae 372, 374, 377
ulmi 372, 374, 377
- Guignardia* 70, 75
apocyni 68, 70
bidwellii 70, 75
vaccinii 395
- Gymnoascus* 312
- Gyrophora*
cylindrica 213
- Hadrotrichum* 142
- Haematomma*
leprarioides 458
- Handkea* 82
- Haplographium* 11-13
bicolor 12-13
calophylli 12, 18
catenatum 11-13
debellamarengoi 12
delicatum 11-12
- helioccephalum* 11-12, 14-17
mangiferae 12
- Helicosporium* 438, 442-443
- Hemitrichia*
abietina 408
clavata 419
leiocarpa 408
- Heptameria*
sabalicola 57
- Herpotrichia* 76
barbicincta 47
macrotricha 400
nicaraguensis 45, 61
- Heterodermia*
obscurata 458
- Homostegia* 388
kelseyi 55
- Humicola* 385
dimorphospora 381-382, 384
- Hyalopesotum* 378
- Hyalorhinocladia*
- Hyaloscypha*
dematiicola 11-12
- Hydronectria* 482
- Hydrothyria*
venosa 137
- Hygrocybe* 85, 88, 90
erythrocrenata 85, 87-90
lilaceolamellata 85-86, 88-90
- Hygrophorus* 88, 90-91
- Hymenoplectra* 305
- Hyphoderma* 37, 40
etruriae 37-38, 39
orphanellum 37, 39
- Hypocreopsis* 341
- Hypogymnia* 426
- Hyponectria*
fusispora 387, 390, 392
- Hypotrachyna* 126
brevirhiza 112-113
densirhizinata 105, 113-114
sinuosa 105, 114
swinscowii 121
- Hypoxylon* 52, 144, 153, 394, 402
 sect. *Primocinerea* 76
nummularium 394
serpens 142, 153
vogesiacum 394
- Hysterium*
pulicare 395
- Hystero-graphium*
flexuosum 395
mori 395

- Immotthia
 atrograna 68, 71-73
 Ingoldiella
 hamata 438, 442-444
 Inocybe 27, 30, 33, 357
 subg. *Inocybe* 30, 33
 subg. *Inosperma* 33
 super-sect. *Cortinatae* 30
 super-sect. *Marginatae* 33
 chrysochroa 27, 30-31, 33
 mixtilis 33
 paludinella 30
 pseudorhacodes 27-28, 29-30
 rhacodes 30
 Iodosphaeria
 arundinariae 47, 50
 Irene
 sapotacearum 202

 Jobellisia 45, 60
 luteola 58, 61-62
 nicaraguensis 58, 61
 Johansonia
 cupulata 65
 formosa 65, 68
 Julella
 fallaciosa 137

 Kalmusia
 clivensis 400
 coniothyrium 400
 Knoxdavesia 363-364
 proteae 363-366, 369
 Kochiomyces 257

 Laestadia 70
 alnea 70
 apocyni 70
 castanicola 55
 Lamproderma
 scintillans 419
 Langermannia 81-83
 pachyderma 80
 Lasallia 215
 Lasiosphaeria 47-48
 ellisii 45, 48, 50
 luteobasis 53
 munkii 46, 390
 raciborskii 48
 Lecanora 453, 455-456
 allophana 135, 138
 expallens 455
 navarrensis 453-454, 455-456
 rugosella 138
 strobilinoidea 458
 symmicta 455
 Lecidea
 cinnabarina 456, 458
 Leiosphaerella
 fusariospora 62
 hamasporum 63
 praeclara 391-392
 rhoina 62
 Leocarpus
 fragilis 419
 Lepteutypa 300, 305
 alpestre 56, 58
 cupressi 57
 sabalicola 57-58
 ulmicola 57-58
 Leptographium 363-364, 369,
 372, 379
 procerum 374
 terebrantis 374
 truncatum 374
 Leptorhaphis 74
 Leptosphaeria 75, 400
 anomala 70-71
 gaultheriae 400
 sabalicola 57
 Leptospora
 fusariospora 62, 64
 rhoina 64
 Letendrea 61, 76
 luteola 45, 60-61
 Letharia 425
 columbiana 138
 Lichen
 chlorophyllus 106
 juniperinus 427
 var. *alvarensis* 428
 pinastris 428
 sinuosus 114
 Linocarpon 75
 hamasporum 58
 Lophiostoma
 fuckelii 400
 microstoma 71
 scelestium 71
 scrophulariae 400
 Lycoperdon 78-79, 82-83
 pachydermum 77-80

- Macbridella* 76
Macrosporium 173, 198
 tomato 182
Macrovalsaria 76
Massarina
 corticola 400
 eccentrica 400
 lignorum 400
 microcarpum 400
Massariovalsa
 californica 389
Megalospora
 tuberculosa 458
Melanconiopsis 476, 478
Melanconis 402, 478
Melanconium 476, 478, 483
 apiocarpum 370
 bicolor 370
Melanelia 425
 subglabra 115
Melanomma
 alpestre 56
 eckfeldtii 66
 rhododendri 400
Melanophyllum 90
 echinatum 90
 eyrei 90
Melanopsamma
 eckfeldtii 67
 innumerosa 67
 pomiformis 75
Meliola 201
 aethiops 206
 barringtoniae 205
 bicornis 201, 204
 caesalpinicola 206
 canarii 201, 203-204
 densa 202
 holigarnae 201, 204
 indica 201, 204-205
 var. *careyae* 205
 kingiodendri 201, 205, 207
 machili 201, 206
 malabarensis 201, 206
 mangiferae 201, 206
 mayapeae 201, 206-207
 neissleana 388
 nidulans 388
 nigro-rufescens 204
 pterocarpi 201, 208-209
 tamarindi 201, 208
 zigzag 202
Melomastia
 mastoidea 390, 392
Memnoniella 15, 18
Menegazzia 426
 terebrata 458
Menispora 47
Meruliopsis 324
 corium 324-325
Metasphaeria
 rubicola 56
Metatrichia
 vesparium 419
Micarea 453
Micropeltis 74
 subcyanea 68, 73
Microsphaera
 penicillata
 var. *vaccinii* 388
 vaccinii 388
Microthelia
 anomala 70
 cupula 55
Minimidochium 285
 eucalypti 285
 indicum 285
Molliardiomyces 404
Monascostroma
 eckfeldtii 66, 68
Monographella 76, 305
 fusariispora 58, 63
Mortierella 287, 290
 sect. *Hygrophila* 287-288
 beljakovae 288, 290
 hyalina 288
 kuhlmanii 288, 290
 paraensis 287-290
Mycena 98, 103-104
 sect. *Basidipes* 97-98, 102-104
 sect. *Bulbosae* 104
 sect. *Clavulares* 194
 sect. *Exiguae* 104
 sect. *Gaultheria* 97
 sect. *Longisetae* 104
 sect. *Polyadelphia* 97-98, 102, 104
 sect. *Pseudotsuga* 97
 sect. *Sacchariferae* 104
 sect. *Saetulipedes* 104
 sect. *Testudini* 97, 103-104
 gaultheri 97-98, 102-104
 mucor 102
Mycenastrum
 fragile 77, 79-80
Mycocacia 324
Mycoblastus
 sterilis 456
Mycomicrothelia 401

- Mycosphaerella* 19-22, 26
arbuticola 394
bellula 20, 22, 25
cussoniae 22, 24-25
gaultheriae 394
jonkershoekensis 19-20, 22, 26
proteae 19-20, 22
Myrothecium 335, 338, 340-341
atrum 338
cinctum 338
flavoviride 338
groenlandicum 335-336, 337-339
roridum 338

Nanoscypha 404
tetraspora 403, 405
Naucoria 357
jennyi 356
kauffmanii 349
Navicella
microstoma 71
Nectria 233, 340-341
subg. Hyphonectria 340-341
bactridioides 340
cinnabarina 390
epichloe 340
pityrodes 340
ralfsii 338, 340
Nectriella 459-460, 463, 482
versioniana 459-460, 462-463, 480-482
Nectriopsis 340-341
Neocallimastix 241-242, 246, 252, 257
frontalis 241, 257
hurleyensis 241, 258
joyonii 241, 257
patriciarum 241, 258
variabilis 241-242, 244, 246-250, 252-257
Neopeckia
diffusa 61
Neoramularia
asteris 273
Nephroma
arcticum 138
Nephromopsis 426-427, 428
Neurospora
crassa 435
intermedia 435
sitophila 435
Niesslia 47
barbicincta 47

erysipheoides 50
exilis 52
exosporioides 52
lanea 50, 52
pulchriseta 52
Nodulisporium 141
Nummularia
exutans 394
Nummulariola
exutans 394

Oncopodiella 442
Ophioceras
subg. Acerbia 48
hyptidis 48
longispora 48
Ophionectria 76
Ophiostoma 363-364, 366, 369, 371, 377-379, 381, 384-385
album 384
bragantium 381-384
cucullatum 370
davidsonii 372, 377
francke-grosmanniae 364
grande 384
olivaceapinii 372, 374
olivaceum 372, 377
piceae 371
roraimense 384
stenoceras 384
tetropii 384
ulmi 371
Orpinomyces 242
bovis 242, 257
joyonii 258
Ovularia
asteris 273
delphinii 274
lupinicola 274

Panaeolus 156
Pannaria 139
laceratula 135, 138
lepidota
f. corallifera 138
leucostictoides 138
Pannoparmelia 126
angustata 105, 115-116, 125
anzioides 106, 115-117, 124-125
Paradiachea 318
Parmelia 120-121, 126-127, 425, 428
subg. Amphigymnia 127

- [*Parmelia*] subg. *Hypotrachyna* 127
 subg. *Parmelia* 126
 angustata 115
 brevirhiza 112
 brownii 116
 citrinescens 110
 cunninghamii 116
 densirhizinata 113
 ferax 110
 haysomii 111
 obversa 110
 protosulcata 118
 reticulata 122
 saxatilis 117, 119-120
 subaurifera
 var. *subglabra* 115
 sulcata 117, 120-121
 swinscowii 121
Parmelina 126
 swinscowii 121
Parmelinopsis
 swinscowii 105, 121-122, 125
Parmotrema 124
 cetratum 124
 reticulatum 122-123
Passalora 264
 mertensiae 263, 265
Patellaria
 cyanea 45, 66
Patellea
 cyanea 66
Peltigera 140
 canina 139
 elizabethae 138
 pacifica 135, 138-139
 polydactyla 138
 retifoveata 135, 139
 venosa 135, 139-140
Penicillium 134
 indigoticum 129
Perichaena
 depressa 419
Peristomialis 341
Pertusaria 1-3
 acuta 1
 cerussata 1
 globularis 1
 hartmannii 1
 leucoplaca 1
 mattogrossensis 1
 paratuberculifera 1
 pupillaris 456
 subobductans 1
Pestalospheeria 76, 300, 304-305
Pesotum 371-372, 379
 piceae 372
Phaeocollybia 343-344, 346, 355-358
 carmanahensis 343-345, 346-349, 356
 christinae 356
 jennyi 356
 kauffmanii 343-344, 349-357
 oregonensis 349
 spadicea 356
Phaeoisariopsis 274
Phaeonectria 76
Phaeoramularia 264, 266
 coalescens 263-264
 collomiae 263-264, 270
 geranii 273
 punctiformis 273
Phaeosaccardinula 68
 martini 67
Phaeoxyphiella 394
Phialemonum
 curvatum 313
Phialocephala 364, 370
Phialographium 364, 371-372, 377, 379
Phillipsia 404
 crispata 403-404
 domingensis 403-404
 lutea 404
 rugospora 403
Phillipsiella
 atra 66
 ellisii 45, 66, 68
Phlebia 321, 324, 326
 pallida 321-322, 323-324
 radiata 324
Pholiota 357
Phoma 332
 exigua 331
 var. *exigua* 329, 332
 fumosa 370
 granati 460, 480
 herbarum 331
 sorghina 331
Phyllosticta
 cussoniae 21
Physalospora 459-460
 alpestris 459
Physarum
 auriscalpium 420
 bitectum 419
 bivalve 420
 cinereum 420

- [Physarum] compressum 420
 decipiens 420
 didermoides
 var. lividum 421
 leucophaeum 420
 leucopus 420
 lividum 421
 melleum 421
 nutans 421
 straminipes 421
 vernum 421
 viride 421
 var. incanum 407, 421-422
- Pilidiella
 quercicola 482
- Pirex 324
- Piromyces
 communis 242, 252, 257
- Pithya 404
- Plagiostoma 70
- Platystomum
 compressum 401
 obtectum 71, 401
- Plectania
 coccinea 404
- Pleomassaria 395
 hesperia 396
 holoschista 396
- Pleospora
 herbarum 198
 triglochynicola 361
- Pleurotheciopsis
 websterii 235, 238
- Pleurotus 85
 ostreatus 90
- Plochromopeltis 74
 ellisii 66
- Podosphaera 445-446, 448
 clandestina 447
 leucotricha 447
 tridactyla 447, 450
- Polyblastiopsis
 fallaciosa 137
- Porpidia 140
 carlottiana 135, 139
 glaucophaea 139
- Pronectria 482
- Prosthecium 402
- Protoventuria
 gaultheriae 395
- Pseudoarachnoidus 313
- Pseudocercospora 267, 273
 geraniacearum 263, 265-266, 267
 geranii 273
 geraniicola 267
 omphacodes 263, 267
- Pseudomassaria 401
 corni 392
 hesperia 387, 391-392
- Pseudonectria 460, 482
- Pseudoparmelia 126
 ferax 110
- Pseudovalsa 402
- Pseudovalsaria 54, 300
 allantospora 53-54
 phoedans 54
- Psilocybe 155-156, 158-164,
 166-170
 sect. Coprophilae 167
 sect. Cyanescens 167
 sect. Mexicanae 155, 158
 sect. Pratensae 167
 sect. Semilanceatae 167
 sect. Zapotecorum 160, 167, 169
- acutipilea 158
 armandii 158
 aucklandii 159-160, 162-163,
 167-168
 australiana 159-160, 165-168
 brunneocistidiata 159
 caerulipes 161, 164, 167
 callosa 164
 coprophila 161-164, 167-168
 cordispora 155, 158
 cubensis 156
 cyanescens 166
 eucalypta 159, 161, 165-168
 farinacea 158
 galindii 158
 goniospora 158
 inconspicua 159
 kumaenorum 159
 lonchoporus 158
 mexicana 158
 novae-zelandiae 161-162, 167-168
 ochreate 159
 papuana 159
 samuiensis 155-156, 157
 semilanceata 155, 158-159,
 161-164, 167-168
 subaeruginascens
 var. subaeruginascens 159
 subaeruginosa 159-160, 166, 169
 subcubensis 156
 tampanensis 158
 tasmaniana 159, 166
- Psilosphaeria
 atriella 46

- Punctelia* 127
Pyrenula 401
- Radulum* 321, 326
 pallidum 321-322, 325
Ramelia 123, 126
 reticulata 122
Ramularia 35-36, 269, 271-272, 274
 achilleae 269
 achilleae-millefolii 263, 267-268
 actaeae 271
 actaeina 273
 arvensis 269, 273
 var. arvensis 269
 var. cercosporioides 263, 269-270
 asteris 273
 biflora 273
 biscutellae 35-36
 carneola 273
 coalescens 264
 delphinii 274
 delphiniicola 274
 epipactidis 263, 268, 271
 filaris 274
 giliae 274
 glauca 274
 grevilleana 274
 ionophila 273
 lophanthi 274
 lupinicola 274
 maculicola 263, 268, 271
 montana 273
 rudbeckiae 274
 sambucina 274
 senecionis 274
 sidalceae 274
 smilacinae 274
 taraxaci 271
 tulasnei 274
 urticae 274
 valerianae 274
 variabilis 274
Rhizocarpon
 grande 139
Rhopoglyphus
 fusariispora 63
Rhynchosphaeria
 irpex 300
Rinodina
 isidioides 458
Rosellinia 50, 76, 152
 arctespora 49
 bigeloviae 49
 parasitica 49
 spinosa 45
 subcompressa 49
 xylariaespora 49
- Saccardia*
 martini 67
Saccardoella 299
Sarcodontia 326
Sarcoscypha 404
 austriaca 403
 coccinea 403-405
 var. jurana 403
 dudleyi 404
 occidentalis 403
Sawadaia 445-446, 448
 negundinis 447
 polyfida 447
Schismatomma
 quercicola 456
Schizoparme 459-461, 463-464,
 465, 474, 481
 angustispora 459, 462-463,
 465-466
 botrytidis 459, 462-463,
 465, 468
 destruens 462-463, 465, 470-472
 straminea 459-465, 472-474, 482
 stromatica 459, 462-463, 474,
 476, 478
 terminaliae 459, 462-463, 465,
 471-472, 478-479
 versioniana 459, 462-463, 465,
 474, 480
Schizothyrium
 pomi 394
Scutisporus 438, 442-443
 brunneus 438, 442-443
Sinodidymella 398
 occidentalis 387, 397-398
 verrucosa 398, 402
Siphula
 ceratites 139
Sistotrema
 hamatum 442, 444
Sphaerella 26
Sphaeria
 subg. *Coelosphaeria* 62, 64
 subg. *Didymosphaeria* 55
 subg. *Winteria* 64
 albocincta 62
 arctespora 49-50
 atriella 46, 48

- [Sphaeria] atrograna 71-72
 avocetta 53
 barbirostris 63
 berenice 68
 cupula 55
 diaphana 62
 eckfeldtii 66
 fusariospora 62, 64
 lejustega 54
 longispora 45, 48
 luteobasis 53
 ovalis 49
 pachyascus 71
 pholidigena 49
 quercifolia 55
 rhoia 64
 sabalicola 57
 soluta 62
 succinea 55
 xylariaespora 49-50
 Sphaerotheca 445-446, 448-449
 aphanis 447, 450
 balsaminae 447, 449
 ferruginea 448
 fuliginea 445, 448-449, 451
 fusca 448-449
 pannosa 448
 phaseoli 448-449
 Spiromastix 307, 311-312
 grisea 307, 311-313
 tentaculatum 307-308, 310-312
 warcupii 307, 311-313
 Spizellomyces 257
 Splachnonema 395
 arbuti 387, 395-396, 398
 vaccinii 387, 396, 398
 Sporendocladia 363
 Sporothrix 363, 374, 377-378, 384
 inflata 381-382, 384
 schenckii 384
 Stachybotrys 15, 18, 75, 364
 Stanhughesia 68, 75
 Stemonitis
 fusca 422
 Stemonitopsis
 amoena 422
 Stemphylium
 triglochynicola 361
 Stenella 272
 Stigmina 273
 collinsiae 263, 268, 272
 Stigmochora 482
 Stilbum
 catenatum 11
 Talaromyces 129, 134
 sect. Talaromyces 132
 ser. Flavi 132
 flavus 134
 indigoticus 129-134
 Teichospora
 juglandia 400
 hesperia 387-398, 400
 Teratosphaeria
 protea-arboreae 26
 Thecotheus 275, 284
 cinereus 282
 harasius 275, 280, 282
 himalayensis 284
 Thelopsis
 rubella 458
 Thyrea
 confusa 137
 nigritella 137
 pulvinata 137
 Thyridaria
 macrostomoides 401
 turrita 401
 Thyridium
 vestitum 58
 Titaela
 capnophila 442
 Titania 402
 Tolypocladium
 niveum 313
 Trentepohlia 456
 Trichia
 botrytis 422
 contorta 422
 varia 422
 Trichocladium 437-438, 440
 cylindroclavatum 440
 singaporense 437-438, 439, 441
 Trichoderma 368
 saturnisporum 369
 Trichonectria 341
 Trichosphaerella
 decipiens 390
 Trichosphaeria
 arundinariae 47
 cellaris 52
 flavida 52
 horrida 49
 Tricladium 438, 442-443
 Triparticular 257
 Tripospermum 440, 442-444
 camelopardus 438, 442

- Triposporina
 quadridens 236
 Triscelophorus 442-443
 acuminatus 438, 442
 Tubercularia 461
 Tuckermannopsis 425-426
- Umbilicaria 213-215
 cylindrica 213-214
 var. delisei 213-214
 dendrophora 211-214
 propagulifera 213, 215
 umbilicarioides 213
 vellea 212-213
 var. dendrophora 211
 Uncinula 93, 95
 bulbosa 93
 clintonii
 var. bulbosa 93
 Usnea 425
- Valsa 390
 ceratosperma 389
 delicatula 390
 Valsaria
 allantospora 54
 coloradensis 54
 Valsonectria
 cinnamomi 58, 75
 hypoxylodes 58
 Vararia
 maremmana 37
 Venturia 73
 applanata 70, 73
 asterinoides 73
 barbula
 var. foliicola 52
 cupulata 65
 erysipheoides 50
 formosa 65
 graminicola 50
 hispida 52
 lanea 52
 parasitica 52
 psilotricha 65
 sabalicola 52
 saccardioides 68, 70
 vaccinii 52
 Verticicladiella 370, 372, 379
 wageneri 435
 Vulpicida 425-427
 canadensis 425, 427
- Juniperinus 425, 427
 pinastri 425, 428
 tilisii 425, 428
 tubulosus 425, 428
 viridis 425, 428
- Wettsteinina 76
 anomala 71
 Winterella
 rhoina 64
 Winteria
 rhoina 64
 Wuestniopsis 389
- Xanthoparmelia 425
 Xanthothecium
 peruvianum 313
 Xeromphalina 357
 Xylaria 141-144, 146, 150, 152-154
 acuta 146, 153
 allantoidea 146, 150, 153
 apiculata 144, 146
 arbuscula 146
 bulbosa 153
 carpophila 144, 146, 152
 coccophora 144, 146, 150
 corniformis 144, 146, 152-153
 cornu-damae 144, 146, 150, 153
 cubensis 142, 144, 146, 150, 153
 curta 146, 153
 hypoxylon 146
 longiana 146, 150, 152
 longipes 142, 146, 152-153
 magnoliae 146, 150, 152-153
 mali 152-153
 microceras 146
 multiplex 146
 oxyacanthae 144, 146, 152, 154
 persicaria 146, 152
 poitei 144, 146, 150, 153-154
 polymorpha 146, 150, 154
 psamathos 146
 schweinitzii 146, 150
 tentaculata 144, 146, 150
 Xylocoremium 141-142
 flabelliforme 153
- Zamenhofia
 coralloidea 458
 Zigonella
 atriella 46
 eckfeldtii 67